

California red-legged frog (*Rana aurora draytonii*)  
Literature Cited  
Final Rule  
September 1995

- Arnold, S.J. and R.J. Wassersug. 1978. Differential predation on metamorphic anurans by garter snakes (*Thamnophis*): Social behavior as a possible defense. *Ecology* 59(5):1014-1022.
- Barry, S.J. 1978. Status of the San Francisco garter snake. *Calif. Fish and Game End. Sp. Program Special Publ.* 78-2. 21 pp.
- Behnke, R.J., and M. Zarn. 1976. Biology and management of threatened and endangered western trouts. General Technical report RM-28. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. 45 pp.
- Behnke, R.J., and M. Zarn. 1976. Biology and management of threatened and endangered western trouts. General Technical report RM-28. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. 45 pp.
- Behnke, R.J., and R.F. Raleigh. 1979. Grazing and the riparian zone: Impact and management perspectives. Pages 263-267 in R.R. Johnson and J.F. McCormick, technical coordinators. *Strategies for Protection and Management of Floodplain Wetlands and Other Riparian Ecosystems*. Proceedings of the symposium; December 11-13, 1978; Callaway Gardens, Georgia. General Technical Report WO-12, U.S. Department of Agriculture, Forest Service, Washington, D.C.
- Blaustein, A.R., P.D. Hoffman, D.G. Hokit, J.M. Kiesecker, S.C. Walls, and J.B. Hays. 1994. UV repair and resistance to solar UV-B in amphibian eggs: A link to population declines? *Proc. Natl. Acad. Sci.* 91:1791-1795.
- Bowers, W., B. Hosford, A. Oakley, and C. Bond. 1979. Wildlife habitats in managed rangelands - the Great Basin of Southeast Oregon, native trout. General Technical Report PNW-84. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. 16 pp.
- Bury, R.B. and R.A. Luckenbach. 1976. Introduced amphibians and reptiles in California. *Biological Conservation* 10(1):1-14.
- Bury, R.B. and G.R. Stewart. 1973. California protects its herpetofauna. *Hiss News-Journal* 1(2):43-48.
- Bury, R.B. and J.A. Whelan. 1984. Ecology and management of the bullfrog. U.S. Fish and Wildlife Service Resource Publication 155. 23 pp.
- California Department of Fish and Game. 1993. Illegal frog sales busted by wardens. *Fish and Game News Release* 33(20):5-6.
- California Department of Water Resources and U.S. Bureau of Reclamation. 1990. Los Banos Grandes facilities administrative draft Environmental Impact Report/Environmental Impact Statement, Sacramento, CA. 280 pp. + appendices.

- Camp, C.L. 1917. Notes on the systematic status of the toads and frogs of California. Univ. Calif. Publ. Zool. 17(9):115-125.
- Chamberlain, F.M. 1898. Notes on the edible frogs of the United States and their artificial propagation. Pages 249-261 In: Report of the United States Commissioner of Fish and Fisheries for the year ending June 30, 1897. U.S. Government Printing Office, Washington, D.C. clxxi + 340 p.
- Chaney, E., W. Elmore, and W.S. Platts. 1990. Livestock grazing on western riparian areas. U.S. Environmental Protection Agency, Northwest Resource Information Center, Eagle, Idaho. 45 pp.
- \_\_\_\_\_. 1993. Managing Change, livestock grazing on western riparian areas. U.S. Environmental Protection Agency, Northwest Resource Information Center, Eagle, Idaho. 31 pp.
- Chapman, D.W. 1988. Critical review of variables used to define effects of fines in redds of large salmonids. Transactions of the American Fisheries Society 117(1):1-21.
- Clary, W.P., and B.F. Webster. 1989. Managing grazing of riparian areas in the intermountain region. General Technical Report INT-263. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, Utah. 11 pp.
- Cochran, D.M. 1961. Type specimens of reptiles and amphibians in the U.S. National Museum. United States National Museum Bulletin (220):xv+291 pp.
- Contra Costa Water District. 1993. Special-status amphibian and reptile conceptual mitigation plan for the Los Vaqueros project. Prepared by Jones and Stokes Associates, Inc. (JSA 93-007) Sacramento, CA.
- Cope, O.B. (Editor). 1979. Proceedings of the forum - grazing and riparian/stream ecosystems; November 3-4, 1978; Denver, Colorado. Trout Unlimited, Inc., Vienna, Virginia. 94 pp.
- Cordone, A.J. and D.W. Kelley. 1961. The influences of inorganic sediment on the aquatic life of streams. California Fish and Game 47(2):189-228.
- Dickerson, M.C. 1906. The frog book. North American toads and frogs with a study of the habits and life histories of those of the northeastern states. Doubleday, Page & Company, New York. xvii + 253 pp.
- Doran, J.W., J.S. Schepers, and N.P. Swanson. 1981. Chemical and bacteriological quality of pasture runoff. J. Soil and Water Cons. 36(3): 166-171.
- Duff, D.A. 1979. Riparian habitat recovery on Big Creek, Rich County, Utah-A summary of 8 years of study. Pages 91-92. In: O.B. Cope (ed.). Proceedings, Forum-Grazing and Riparian/Stream Ecosystems. Trout Unlimited, Inc.
- Elmore, W., and R.L. Beschta. 1987. Riparian areas: Perceptions in management. Rangelands 9(6):260-265.
- Emlen, S.T. 1977. "Double clutching" and its possible significance in the bullfrog. Copeia 1977(4):749-751.
- Fisher, S.G. 1972. Stream ecosystem: Organic energy budget. Bio. Sci. 22:33-35.

- Fitch, H.S. 1940. A biogeographical study of the Ordinoides Artenkreis of garter snakes (genus Thamnophis). University of California Publications in Zoology 44(1):1-150.
- Fox, W. 1952. Notes on feeding habits of Pacific coast garter snakes. Herpetologica 8(1):4-8.
- Frayer, W.E., D.D. Peters, and H.R. Pywell. 1989. Wetlands of the California Central Valley-Status and Trends. U.S. Fish and Wildlife Service, Portland, OR. 28 pp.
- GAO (General Accounting Office). 1988. Public rangelands: Some riparian areas restored but widespread improvement will be slow. Report to Congressional Requesters. GA/RCED-88-105. U.S. General Accounting Office; Resources, Community, and Economic Development Division, Washington, D.C. 85 pp.
- Green, D.M. 1985a. Differentiation in amount of centromeric heterochromatin between subspecies of the red-legged frog, Rana aurora. Copeia 1985(4):1071-1074.
- Green, D.M. 1985b. Biochemical identification of red-legged frogs, Rana aurora draytoni (Ranidae) at Duckwater, Nevada. The Southwestern Naturalist 30(4):614-616.
- Green, D.M. 1986. Systematics and evolution of western North American frogs allied to Rana aurora and Rana boylei: electrophoretic evidence. Systematic Zoology 35(3):283-296.
- Gresswell, R.E., B.A. Barton, and J.L. Kershner (Editors). 1989. Practical approaches to riparian resource management: An educational workshop; May 8-11, 1989; Billings, Montana. U.S. Department of the Interior, Bureau of Land Management, Billings, Montana. 193 pp.
- Gunderson, D.R. 1968. Floodplain use related to stream morphology and fish populations. Journal of Wildlife Management 32(3):507-514.
- Hayes, M.P. and M.R. Jennings. 1986. Decline of ranid frog species in western North America: Are bullfrogs (Rana catesbeiana) responsible? Journal of Herpetology 20(4):490-509.
- Hayes, M.P. and M.R. Jennings. 1988. Habitat correlates of distribution of the California red-legged frog (Rana aurora draytonii) and the foothill yellow-legged frog (Rana boylei): Implications for management. Pages 144-158 In: R. Sarzo, K. E. Severson, and D. R. Patton (technical coordinators). Proceedings of the Symposium on the Management of Amphibians, Reptiles, and Small Mammals in North America. U.S.D.A. Forest Service General Technical Report RM-166.
- Hayes, M.P. and D.M. Krempels. 1986. Vocal sac variation among frogs of the genus Rana from western North America. Copeia 1986(4):927-936.
- Hayes, M.P. and M.M. Miyamoto. 1984. Biochemical, behavioral and body size differences between Rana aurora aurora and R. a. draytonii. Copeia 1984(4):1018-1022.
- Hayes, M.P. and M.R. Tennant. 1985. Diet and feeding behavior of the California red-legged frog, Rana aurora draytonii (Ranidae). The Southwestern Naturalist 30(4):601-605.
- Jennings, M.R. 1988a. Origin of the population of Rana aurora draytonii on Santa Cruz Island, California. Herp Review 19(4):76.

- Jennings, M.R. 1988b. Natural history and decline of native ranids in California. Pages 61-72 In: H.F. DeLisle, P.R. Brown, B. Kaufman, and B.M. McGurty (editors). Proceedings of the conference on California herpetology. Southwestern Herpetologists Society, Special Publication (4):1-143.
- Jennings, M.R. 1993. Status of aquatic amphibians in the San Gabriel Wilderness Area, Angeles National Forest. National Biological Survey, Alaska Fish and Wildlife Research Center. 37 pp.
- Jennings, M.R. and M.P. Hayes. 1984. The frogs of Tulare. Outdoor California 45(6):17-19.
- Jennings, M.R. and M.P. Hayes. 1985. Pre-1900 overharvest of California red-legged frogs (Rana aurora draytonii): The inducement for bullfrog (Rana catesbeiana) introduction. Herpetologica 41(1):94-103.
- Jennings, M.R. and M.P. Hayes. 1990. Status of the California red-legged frog Rana aurora draytonii in the Pescadero Marsh Natural Preserve. Report prepared for the California Department of Parks and Recreation, Sacramento, CA. 30 pp. + Tables and Figures.
- Jennings, M.R. and M.P. Hayes. 1994a. Decline of native ranid frogs in the desert southwest. Southwestern Herpetological Society Special Publication 5:183-211.
- Jennings, M.R. and M.P. Hayes. 1994b. Amphibian and reptile species of special concern in California. Report prepared for the California Department of Fish and Game, Inland Fisheries Division, Rancho Cordova, California. 255 pp.
- Jennings, M.R., M.P. Hayes, and D.C. Holland. 1992. A petition to the U.S. Fish and Wildlife Service to place the California red-legged frog (Rana aurora draytonii) and the western pond turtle (Clemmys marmorata) on the list of endangered and threatened wildlife and plants. 21 pp.
- Johnson, R.R., and D.A. Jones (Technical Coordinators). 1977. Importance, preservation and management of riparian habitat: A symposium. Tucson, Arizona, July 9, 1977. General Technical Report RM-43. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. 217 pp.
- Johnson, R.R., C.D. Ziebell, D.R. Patton, P.F. Ffolliott, and R.H. Hamre (Technical Coordinators). 1985. Riparian ecosystems and their management: Reconciling conflicting uses. First North American riparian conference; April 16 - 18, 1985; Tucson, Arizona. General Technical Report RM-120. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. 523 pp.
- Kauffman, J.B. and W.C. Krueger. 1984. Livestock impacts on riparian ecosystems and streamside management implications... A review. Journal of Range Management 37(5):430-438.
- Kauffman, J.B., W.C. Krueger, and M. Vavra. 1983. Impacts of cattle on streambanks in northeastern Oregon. Journal of Range Management 36(6):683-685.
- Kinch, G. 1989. Riparian area management: Grazing management in riparian areas. Technical Reference 1737-4. U.S. Department of Interior, Bureau of Land Management Service Center, Denver, Colorado. 44 pp.

- Kruse, K.C. and M.G. Francis. 1977. A predation deterrent in larvae of the bullfrog, Rana catesbeiana. Transactions of the American Fisheries Society 106(3):248-252.
- Licht, L.E. 1969. Comparative breeding behavior of the red-legged frog (Rana aurora aurora) and the western spotted frog (Rana pretiosa pretiosa) in southwestern British Columbia. Canadian Journal of Zoology 47(6):1287-1299.
- Linsdale, J.M. 1938. Environmental responses of vertebrates in the Great Basin. The American Midland Naturalist 19(1):1-206.
- Lockington, W.N. 1879. Notes on some reptiles and batrachia of the Pacific coast. The American Naturalist 13(12):780-784.
- Lusby, G.C. 1970. Hydrologic and biotic effects of grazing vs. non-grazing near Grand Junction, Colorado. Journal of Range Management 23(4):256-260.
- Marlow, C.B. and T.M. Pogacnik. 1985. Time of grazing and cattle-induced damage to streambanks. Pages 279-284. In: R.R. Johnson, C.D. Ziebell, D.R. Patton, P.F. Ffolliott, and R.H. Hamre (technical coordinators). Riparian Ecosystems and Their Management: Reconciling Conflicting Uses. First North American Riparian Conference. U.S.D.A. Forest Service General Technical Report RM-120.
- Meehan, W.R., F.J. Swanson, and J.R. Sedell. 1977. Influences of riparian vegetation on aquatic ecosystems with particular reference to salmonid fishes and their food supply. Pages 137-145 in R.R. Johnson and D.A. Jones, technical coordinators. Importance, preservation and management of riparian habitat: A symposium. Tucson, Arizona, July 9, 1977. General Technical Report RM-43. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado.
- Meehan, W.R., and W.S. Platts. 1978. Livestock grazing and the aquatic environment. Journal of Soil and Water Conservation 33(6):274-278.
- Menke, J.W. (Editor). 1983. Proceedings of the workshop on livestock and wildlife fisheries relationships in the Great Basin; May 3-5, 1977; Sparks, Nevada. Special Publication 3301. University of California, Division of Agricultural Sciences, Berkeley, California.
- Minshall, G.W. 1967. Role of allochthonous detritus in the trophic structure of a woodland springbrook community. Ecology 48(1):139-149.
- Minshall, G.W., S.E. Jensen, and W.S. Platts. 1989. The ecology of stream and riparian habitats of the Great Basin Region: A community profile. Biological Report 85(7.24). U.S. Fish and Wildlife Service, National Wetlands Research Center, Slidell, Louisiana. 142 pp.
- Moyle, P.B. 1973. Effects of introduced bullfrogs, Rana catesbeiana, on the native frogs of the San Joaquin Valley, California. Copeia 1973 (1):18-22.
- Moyle, P.B. 1976. Fish introductions in California: History and impact on native fishes. Biological Conservation 9(1):101-118.
- Nauman, R.S. 1992. The status of Rana aurora draytonii in the Santa Cruz Mountains of California. University of California, Santa Cruz. 17 pp. + appendices.

- Nussbaum, R.A., E.D. Brodie, and R.M. Storm. 1983. Amphibians and reptiles of the Pacific northwest. University of Idaho Press, Moscow.
- Ohmart, R.D., and B.W. Anderson. 1982. North American desert riparian ecosystems. Pages 433-466 in G.L. Bender, editor. Reference handbook on the deserts of North America. Greenwood Press, Westport, Connecticut.
- \_\_\_\_\_. 1986. Pages 169-199 in A.Y. Cooperrider, R.J. Boyd, and H.R. Stuart, editors. Inventory and monitoring of wildlife habitat. U.S. Department of Interior, Bureau of Land Management, Service Center, Denver, Colorado.
- Peek, J.M. and P.D. Dalke (Editors). 1982. Wildlife - livestock relationships symposium; Proceedings 10, April 20-22, 1982, Coeur d'Alene, Idaho. University of Idaho, Forest, Wildlife, and Range Experiment Station, Moscow, Idaho.
- Phillips, R., R. Laritz, E. Claire, and J. Moring. 1975. Some effects of gravel mixtures on emergence of coho salmon and steelhead trout fry. Transactions of the American Fisheries Society 104(3):461-466.
- Platts, W.S. 1981. Influence of forest and rangeland management on anadromous fish habitat in western North America - effects of livestock grazing. General Technical Report PNW-124. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. 25 pp.
- Raloff, J. 1994. The gender benders. Are environmental "hormones" emasculating wildlife? Science News 145(2):24-27.
- Rathbun, G.B., K. Worcester, D. Holland, and J. Martin. 1991. Status of declining reptiles, amphibians, and fishes in the lower Santa Rosa Creek, Cambria, California. U.S. Fish and Wildlife Service, National Ecology Research Center, San Simeon, CA. Prepared for Greenspace, Cambria, CA. 21 pp.
- Rathbun, G.B., M.R. Jennings, T.G. Murphey, and N.R. Siepel. 1993. Status and ecology of sensitive aquatic vertebrates in lower San Simeon and Pico Creeks, San Luis Obispo County, California. U.S. Fish and Wildlife Service, National Ecology Research Center, San Simeon, CA. Prepared for the California Department of Parks and Recreation. 103 pp.
- Riegel, J.A. 1959. The systematics and distribution of crayfishes in California. California Fish and Game 45(1):29-50.
- Schmieder, R.R. and R.S. Nauman. 1994. Effects of non-native aquatic predators on premetamorphic California red-legged frogs (Rana aurora draytonii). University of California, Santa Cruz. 12 pp.
- Schwalbe, C.R. and P.C. Rosen. 1988. Preliminary report on effect of bullfrogs on wetland herpetofaunas in southeastern Arizona. Pages 166-173 In: R. Sarzo, K. E. Severson, and D. R. Patton (technical coordinators). Proceedings of the Symposium on the Management of Amphibians, Reptiles, and Small Mammals in North America. U.S.D.A. Forest Service General Technical Report RM-166.
- Smith, H.M. 1895. Notes on the reconnaissance of the fisheries of the Pacific Coast of the United States in 1884. Bulletin of United States Fish Commission 14:223-288.
- Stebbins, R.C. 1985. A field guide to western reptiles and amphibians. Houghton Mifflin Company, Boston, MA. xiv + 336 pp.

- Steinhart, P. 1990. California's wild heritage. Threatened and endangered animals in the golden state. Calif. Dept. Fish and Game, Cal Acad Sciences and Sierra Club Books. 108 pp.
- Storch, R.L. 1979. Livestock/streamside management programs in eastern Oregon. Pages 56-59 in O.B. Cope, editor. Proceedings of the forum - grazing and riparian/stream ecosystems; November 3-4, 1978; Denver, Colorado. Trout Unlimited, Inc., Vienna, Virginia.
- Storer, T.I. 1925. A synopsis of the amphibia of California. University of California Publications in Zoology 27:1-342.
- Storer, T.I. 1933. Frogs and their commercial use. California Fish and Game 19(3)203-213.
- Stuart, J.A. and C.W. Painter 1993. Rana catesbeiana (bullfrog). Cannibalism. Herpetological Review 24(3)103.
- Twedt, B. 1993. A comparative ecology of Rana aurora Baird and Girard and Rana catesbeiana Shaw at Freshwater Lagoon, Humboldt County, California. Unpubl. MS, Humboldt State Univ. 53pp + appendix.
- U.S. Fish and Wildlife Service. 1978. Concept plan for waterfowl wintering habitat preservation, Central Valley, California. Region 1, Portland, Oregon 116 pp. + appendices.
- U.S. Fish and Wildlife Service. 1995. Threat matrix for the California red-legged frog. Unpublished data compilation. Sacramento Field Office.
- Van Velson, R. 1979. Effects of livestock grazing upon rainbow trout in Otter Creek, Nebraska. Pages 53-56. In: O.B. Cope (ed.). Proceedings, Forum-Grazing and Riparian/Stream Ecosystems. Trout Unlimited, Inc.
- Wharton, J.C., J.M. Brode, and M.D. Knudsen. 1986. Ecological and life history aspects of the San Francisco garter snake (Thamnophis sirtalis tetrataenia) at the San Francisco International Airport study site. Final Report for Caltrans Interagency Agreement C-226 and C-975. 22 pp.
- Winegar, H.H. 1977. Camp Creek channel fencing - Plant, wildlife, soil, and water response. Rangeland's Journal 4(1):10-12.
- Woodward, B.D. 1983. Predator-prey interactions and breeding-pond use of temporary-pond species in a desert anuran community. Ecology 64(6):1549-1555.
- Wright, A.H. and A.A. Wright. 1949. Handbook of frogs and toads of the United States and Canada. Comstock Publishing Company, Inc., Ithaca, NY. xii + 640 pp.